


CARGOGLIDE *WORK*



**SLIDE OUT CARGO TRAYS FOR
TRUCKS, VANS & SUV'S
WALL & FLOOR SOLUTIONS**

WWW.CARGOGLIDE.COM

PHONE: 877-525-9535



Imagine never having to climb into a truck or van to retrieve anything.
Welcome to CargoGlide's slide out wall and floor solutions.

CargoGlide truck trays carry up to 2200lbs and extend up to 100% outside of your truck.
WallSlide carry from 500lbs to 1500lbs and extend UP TO 100% outside of your van.

CargoGlide wall & floor solutions allow you to remain grounded, significantly reducing the risk of injury. CargoGlide is the safest way to work, organize and retrieve your tools and materials.

Less impact on your back, neck, knees, shins or in short the entire skeletal structure, is the smart and efficient way for you to work.

Whether you are hauling heavy tools, making dozens of deliveries or making several service calls.....


CargoGlide is simply the safest, most efficient, and productive way to get to your gear.

TRUCK WALLSLIDE
Build a REAL Work Truck!





MAIN SPECS



DETAIL



1000 lb capacity. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 6 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile.

DIMENSIONS / WEIGHT RANGES

Length	36" - 95"*
Width	24" - 48"*
Profile/Deck Height (inches)	3 3/4"
Side Rails	4"
Grab Rail	Based on width of unit
Weight	99 - 181 lbs

*Additional Custom Sizes Available Upon Request

Custom Sizes Available





MAIN SPECS



DETAIL



Powder Coating Available Upon Request

1200 lb capacity. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 6 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile.

DIMENSIONS / WEIGHT RANGES

Length	36" - 95"*
Width	24" - 48"*
Profile/Deck Height (inches)	3 3/4"
Side Rails	4"
Grab Rail	Based on width of unit
Weight	110 - 210 lbs

*Additional Custom Sizes Available Upon Request

Custom Sizes Available





MAIN SPECS



DETAIL



DIMENSIONS / WEIGHT RANGES

Length	36" - 95"*
Width	24" - 48"*
Profile/Deck Height (inches)	4 3/4"
Side Rails	4"
Grab Rail	Based on width of unit
Weight	110 - 210 lbs
*Additional Custom Sizes Available Upon Request	

1500 lb capacity. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 6 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile.

Custom Sizes Available





MAIN SPECS



DETAIL



1800 lb capacity. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 6 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.

DIMENSIONS / WEIGHT RANGES

Length	36" - 95"*
Width	24" - 48"*
Profile/Deck Height (inches)	4 3/4"
Side Rails	4" with 8" High Sides
Grab Rail	Based on width of unit
Weight	155 - 251 lbs

*Additional Custom Sizes Available Upon Request

Custom Sizes Available





MAIN SPECS



DETAIL



2200 lb capacity. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 8 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.

DIMENSIONS / WEIGHT RANGES

Length	36" - 95"*
Width	24" - 48"*
Profile/Deck Height (inches)	5 1/4"
Side Rails	4" with 8" High Sides
Grab Rail	Based on width of unit
Weight	165 - 295 lbs
*Additional Custom Sizes Available Upon Request	

Custom Sizes Available






MAIN SPECS



DETAIL



DIMENSIONS / WEIGHT RANGES

Length	48" - 75"*
Width	24" - 48"*
Profile/Deck Height (inches)	4 1/4"
Side Rails	4" with 8" High Sides
Grab Rail	Based on width of unit
Weight	165 - 295 lbs
*Additional Custom Sizes Available Upon Request	

1000 lb capacity. 100% of the Cargo Tray Length slides out for total access to your cargo. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 20 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.

Custom Sizes Available





MAIN SPECS



DETAIL



1500 lb capacity. 100% of the Cargo Tray Length Slides Out for Total Access to your Cargo. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 36 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Powder Coated Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.

DIMENSIONS / WEIGHT RANGES

Length	48" - 95"*
Width	24" - 48"*
Profile/Deck Height (inches)	6 1/4 Std, 5 1/4" Low Profile
Side Rails	4" with 8" High Sides
Grab Rail	Based on width of unit
Weight	300 - 455 lbs

*Additional Custom Sizes Available Upon Request

Custom Sizes Available






MAIN SPECS



DETAIL



2200 lb capacity. 100% of the Cargo Tray Length Slides Out for Total Access to your Cargo. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 22 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Powder Coated Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.

DIMENSIONS / WEIGHT RANGES

Length	48" - 95"*
Width	24" - 48"*
Profile/Deck Height (inches)	6 1/2 Std, 5 1/2" Low Profile
Side Rails	4" with 8" High Sides
Grab Rail	Based on width of unit
Weight	339 - 439 lbs

***Additional Custom Sizes Available Upon Request**

Custom Sizes Available





CG2200HD -7548-GOOSENECK
 CG2200HD -8048-GOOSENECK
 CG2200HD -9548-GOOSENECK
 Custom Aluminum and Steel Deck
 Options Available

MAIN SPECS



DETAIL (Removable Center)



DIMENSIONS / WEIGHT RANGES

Length	65" - 95"*
Width	24" - 48"*
Profile/Deck Height (inches)	5 1/4"
Side Rails	4" with 8" High Sides
Grab Rail	Based on width of unit
Weight	165 - 295 lbs
*Additional Custom Sizes Available Upon Request	

2200 lb capacity. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 8 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo. The Removable Gooseneck Deck ensures that your CargoGlide can be used with or without the trailer and hitch. Installation may require a Spacer Kit and Safety Chain Extensions purchased separately.

Custom Sizes Available

CARGOGLIDE TRUCK WALLSLIDE



MAIN SPECS



DETAIL



DIMENSIONS / WEIGHT RANGES

Height	24" - 60"*
Width	30" - 110"*
Weight	100 - 800 lbs
Capacity	500lbs - 1500lbs


*Additional Custom Sizes Available Upon Request

500 lb to 1500 lb capacity per wall. Available per sliding wall, the patent pending CargoGlide WallSlide systems can be customized to fit your needs to improve safety and efficiency in your use of Vans, Trucks and Trailers. A powder coated steel framework supports the all Aluminum WallSlide system with a full wall panel of 1/8 inch thick solid aluminum to mount your customized shelving system to. The supporting aluminum rail structure is made from a high strength 6061-T6 hardened aircraft grade aluminum alloy and slides on industrial cam follower needle bearings for durability and reliability. For even greater safety and efficiency options are available for remote controlled motor drives to open and close the walls, bright LED lighting options, as well as various weather canopy options for overhead protection and shelf protection.

Custom Sizes Available



MAIN SPECS



DETAIL (CGHoist-500lbs)



500 lb to 1500 lb capacity per wall. Available per sliding wall, the patent pending CargoGlide WallSlide systems can be customized to fit your needs to improve safety and efficiency in your use of Vans, Trucks and Trailers. A powder coated steel framework supports the all Aluminum WallSlide system with a full wall panel of 1/8 inch thick solid aluminum to mount your customized shelving system to. The supporting aluminum rail structure is made from a high strength 6061-T6 hardened aircraft grade aluminum alloy and slides on industrial cam follower needle bearings for durability and reliability. For even greater safety and efficiency options are available for remote controlled motor drives to open and close the walls, bright LED lighting options, as well as various weather canopy options for overhead protection and shelf protection.

Custom Sizes Available

DIMENSIONS / WEIGHT RANGES

Height	24" - 60"*
Width	30" - 110"*
Weight	100 - 800 lbs
Capacity	500lbs - 1500lbs

Systems Available for most Ford, Chevrolet, Dodge, Nissan, & Mercedes Vans

*Additional Custom Sizes Available Upon Request



MAIN SPECS

Custom Shelves Available

Available for all types of Vans

Bulkhead Glide
500lb Capacity



DETAIL

(SideSlide w/Shelves)

CG1000XL-CG2200XL
Aluminum or Steel Decks Avail.
Attachable Shelving



Accessories Include -

- CargoGlide out the Side and Back Doors
- Aluminum, Steel, & Marine Grade Plywood Decks
- Custom & Prefabricated Shelving Packages
- Automated (Motorized) or Manual Walls
- Proximity Sensors
- CeilingSlide for Weather Protection
- Multiple Lighting Packages
- Wall/Shelf Weather Cover
- Strobe Safety lighting
- Internal Ladder Rack
- Custom Accessories Available Upon Request
- Bulkhead WallSlide
- Side or Rear Overhead Hoist

DIMENSIONS / WEIGHT RANGES

CargoGlide now features a full Interactive Model so that users can outfit their Van with different shelving packages to cater to their craft or industry. The Interactive Model allows users to see their vehicle completely outfitted before purchase.

Check out more at www.CargoGlide.com

Custom Sizes Available



Aluminum High Sides

CGHS 48-A



High Sides Powder

CGHS-48



Tie Down Eye Bolts

CGCTTD-4



Outside Tie Downs

CGCLTD-4



Suspension Stabilizing Cargo Legs

CGSL-1



Ladder Rack

CGCR 65 - CGCR 75 - CGCR 95



Cargo Divider Burnished

CGCD-6-48



Bike Rack

CGBR 38 - CGBR 41 - CGBR 48



CG2200HD Gooseneck Modification

CGGN-1



Aluminum Decks

CGALMD-1,2



DUALGLIDE & DURAGLIDE