



MAMMOTH EXPECTATIONS

In the 100+ years our family has been in the manufacturing business, we've consistently delivered the highest quality product in our respective industries. Not a single detail was overlooked in designing a truck bed that would meet and exceed the expectations of the industry's most critical consumer: the Texas rancher. We're not just talk. Backed with a 3-year, 36,000-mile comprehensive warranty, BEDROCK symbolizes American quality, Texas pride, and the integrity of a small-town legacy. After a hard day's work, you can tip your hat to the dependability and durability that BEDROCK offers to your loyal customers.



A gooseneck hitch rating of 25,000 lbs. and a receiver hitch rating of 15,000 lbs. puts BEDROCK Truck Beds at the industry's highest weight ratings.

All 4 bed series deliver the most durable powder-coat finish, sturdiest full steel build and strongest towing system available.

Flexible dealer pricing options available.

BEDROCK offers innovative options including all-inclusive installation kits, adjustable headache racks, and plug and play wiring adaptors.

**INDUSTRY'S
STRONGEST BUILD**

**TEXAS GRIT
AMERICAN PRIDE**

**THE IDEAL
PARTNERSHIP**

**SOME CHOICES
ARE EASY**

KEY FEATURES

Adjustable headache rack
allows perfect fit for your vehicle

Gooseneck hitch rated at
25,000 lbs

Receiver hitch rated at
15,000 lbs

Powder coat finish for
superior corrosion & UV resistance

LED lights DOT-approved





DIAMOND SERIES

Powder Coating

- Corrosion & UV resistant
- Glossy polyester finish with industry-leading adhesion & longevity
- Formula customized under impact & salt-spray testing for best performance
- Application process formulated specifically for BEDROCK – beds are shot blasted to raw, white metal before powder coating for maximum adhesion

Receiver Hitch

- Integrated 2" receiver hitch rated at 15,000 lbs
- Safety chain bracket rated at 15,000 lbs
- Receiver hitch enclosed & welded to frame for greater safety

Gooseneck Hitch

- Rated at 25,000 lbs
- Standard 2 5/16" welded ball for safety
- Lid swings open or can be removed
- Access to install additional trailer wiring plug
- Spring-loaded safety chain hasps reduce vibration & noise

Headache Rack

- Designed for optimal protection & visibility
- Louver design allows excellent rear vision
- Patent pending adjustable headache rack fits all major truck makes, models & cab styles
- Cargo light cutout

LED Running Lights

- Offers longevity & good visibility
- DOT-approved
- Back-up lights in headache rack can double as working lights

Wiring

- 7 way & 4 way trailer wiring plugs
- Plugs are recessed next to license plate
- Bed is pre-wired with sealed wiring harnesses to protect from moisture & prevent damage

Bed Options

- Smooth-plate 10 gauge deck
- Gooseneck trough
- Hauler headache rack with vertical posts
- 3/16" diamond-plate deck
- Square back bed
- Factory gooseneck box (Ford 2017 only)

Accessory Options

- Mounting kit
- Mud flap kit
- Anti-sail mud flap bracket
- Rail kit
- Spare tire kit
- Center louver insert for headache rack
- L-Bracket for headache rack
- Fuel fill cover
- Plug & play wiring adaptor to fit specific make & model
- Fold down rail kit

DIAMOND SERIES FEATURES

- Available in 7' - 8'6" - 9'4" - 11'4" lengths
- Full steel frame with 4" & 3" C-channel construction & 1/8" steel diamond-plate deck
- Non-skirted bed
- Diamond-plate steel deck, rear & sides
- Rub rail tie downs & stake pockets
- Available for single & dual rear wheels
- Angled tail designed to allow better turn radius for towing

CONTACT US

BEDROCK Truck Beds
959 State Hwy 95 N
Shiner, TX 77984

bedrocktruckbeds.com
361.401.7420



DIAMOND SERIES



GRANITE SERIES

Powder Coating

- Corrosion & UV resistant
- Glossy polyester finish with industry-leading adhesion & longevity
- Formula customized under impact & salt-spray testing for best performance
- Application process formulated specifically for BEDROCK – beds are shot blasted to raw, white metal before powder coating for maximum adhesion

Receiver Hitch

- Integrated 2" receiver hitch rated at 15,000 lbs
- Safety chain bracket rated at 15,000 lbs
- Receiver hitch enclosed & welded to frame for greater safety

Gooseneck Hitch

- Rated at 25,000 lbs
- Standard 2 5/16" welded ball for safety
- Lid swings open or can be removed
- Access to install additional trailer wiring plug
- Spring-loaded safety chain hasps reduce vibration & noise

Toolboxes

- 4 toolboxes on 8'6" - 9'4" - 11'4" lengths
- 2 toolboxes on 7' length
- Toolbox length dependent on bed length
- Door cables rated for 1,700 lbs. capacity each
- Locking weatherproof tool boxes with stainless steel slam latch

Headache Rack

- Designed for optimal protection & visibility
- Louver design allows excellent rear vision
- Patent pending adjustable headache rack fits all major truck makes, models & cab styles
- Cargo light cutout

LED Running Lights

- Offers longevity & good visibility
- DOT-approved
- Back-up lights in headache rack can double as working lights

Wiring

- 7 way & 4 way trailer wiring plugs
- Plugs are recessed next to license plate
- Bed is pre-wired with sealed wiring harnesses to protect from moisture & prevent damage

Bed Options

- Smooth-plate 10 gauge deck
- Gooseneck trough
- Hauler headache rack with vertical posts
- Chrome fenders
- 3/16" diamond-plate deck
- Square back bed
- Factory gooseneck box (Ford 2017 only)

Accessory Options

- Mounting kit
- Mud flap kit
- Anti-sail mud flap bracket
- Rail kit
- Spare tire kit
- Center louver insert for headache rack
- L-Bracket for headache rack
- Fuel fill cover
- Plug & play wiring adaptor to fit specific make & model
- Fold down rail kit

GRANITE SERIES FEATURES

- Available in 7' - 8'6" - 9'4" - 11'4" lengths
- Full steel frame with 4" & 3" C-channel construction
- Skirted bed with integrated tool boxes
- Weatherproof toolboxes with stainless steel latches & locks
- Angled tail designed to allow better turn radius for towing
- Steel & aluminum diamond-plate trim
- 1/8" steel diamond-plate deck with smooth rear & sides
- Available for single & dual rear wheels
- Rub rail tie downs & stake pockets

CONTACT US

BEDROCK Truck Beds
959 State Hwy 95 N
Shiner, TX 77984

bedrocktruckbeds.com
361.401.7420



GRANITE SERIES



SLATE SERIES

Powder Coating

- Corrosion & UV resistant
- Glossy polyester finish with industry-leading adhesion & longevity
- Formula customized under impact & salt-spray testing for best performance
- Application process formulated specifically for BEDROCK – beds are shot blasted to raw, white metal before powder coating for maximum adhesion

Receiver Hitch

- Integrated 2" receiver hitch rated at 15,000 lbs
- Safety chain bracket rated at 15,000 lbs
- Receiver hitch enclosed & welded to frame for greater safety

Gooseneck Hitch

- Rated at 25,000 lbs
- Standard 2 5/16" welded ball for safety
- Lid swings open or can be removed
- Access to install additional trailer wiring plug
- Spring-loaded safety chain hasps reduce vibration & noise

Headache Rack

- Designed for optimal protection & visibility
- Louver design allows excellent rear vision
- Patent pending adjustable headache rack fits all major truck makes, models & cab styles
- Cargo light cutout

LED Running Lights

- Offers longevity & good visibility
- DOT-approved
- Back-up lights in headache rack can double as working lights

Wiring

- 7 way & 4 way trailer wiring plugs
- Plugs are recessed next to license plate
- Bed is pre-wired with sealed wiring harnesses to protect from moisture & prevent damage

Bed Options

- Smooth-plate 10 gauge deck
- Gooseneck trough
- Hauler headache rack with vertical posts
- 3/16" diamond-plate deck
- Square back bed
- Factory gooseneck box (Ford 2017 only)

Accessory Options

- Mounting kit
- Mud flap kit
- Anti-sail mud flap bracket
- Rail kit
- Spare tire kit
- Center louver insert for headache rack
- L-Bracket for headache rack
- Plug & play wiring adaptor to fit specific make & model

SLATE SERIES FEATURES

- Available in 7' - 8'6" - 9'4" - 11'4" lengths
- Full steel frame with 4" & 3" C-channel construction & 1/8" steel diamond-plate deck
- Non-skirted bed
- Diamond-plate steel deck, rear & sides
- Integrated tie down rails & stake pockets
- Side rails rise 1 1/4" above deck
- Available for single & dual rear wheels
- Angled tail designed to allow better turn radius for towing

CONTACT US

BEDROCK Truck Beds
959 State Hwy 95 N
Shiner, TX 77984

bedrocktruckbeds.com
361.401.7420



SLATE SERIES



LIMESTONE SERIES

Powder Coating

- Corrosion & UV resistant
- Glossy polyester finish with industry-leading adhesion & longevity
- Formula customized under impact & salt-spray testing for best performance
- Application process formulated specifically for BEDROCK – beds are shot blasted to raw, white metal before powder coating for maximum adhesion

Full Steel Construction

- 6" channel runners
- 3" channel cross members
- 1/8" diamond plate deck
- Rub rail tie downs

Bulkhead

- 42" standard headache rack (60" available)
- Window cutout

LED Running Lights

- Offers longevity & good visibility
- DOT-approved

Wiring

- Bed is pre-wired with sealed wiring harnesses to protect from moisture & prevent damage

Bed Options

- 60" headache rack
- 3/16" diamond-plate deck
- Smooth-plate deck
- 2x6 treated wood floor deck

Accessory Options

- ICC bumper
- 42" or 18" stake rails
- Mud flap kit
- Anti-sail mud flap bracket
- Ratchet strap winch

LIMESTONE SERIES FEATURES

- Available in 9'3" - 10' - 12' - 14' - 16' lengths
- A strong, squared commercial bulkhead and 1/8" deck plating
- External stake pockets with a 3/8" rub rail for stake sides
- Pre-wired LED lighting
- 100% finished with super polyester powder coat

CONTACT US

BEDROCK Truck Beds
959 State Hwy 95 N
Shiner, TX 77984

bedrocktruckbeds.com
361.401.7420



LIMESTONE SERIES



BEDROCK

TRUCK BEDS

BED OPTIONS



Smooth-Plate Deck



Gooseneck Trough



Hauler Headache Rack



Chrome Fender

*only available for the Granite series



3/16" Diamond-Plate Deck



Straight Back Bed



Factory Gooseneck Box

*available for Ford 2017 Super Duty Take Offs




Fold Down Rail Kit

- 4" rail height set fits the length of the bed
- Ability to strap load in up or down position
- 2 stake pockets on each rail with quick connect/disconnect pins
- * only available for the Granite and Diamond series



Mudflap Kit

- Adjustable front to back, up & down
- Contains mudflap angle plates, reinforcement plates and mud flaps
- Polyester powder coat matches BEDROCK truck bed



Anti-Sail Mudflap Bracket

- Zinc plated
- Bracket reduces mudflap deflection



Rail Kit

- Two side rails fit the length of the bed
- 4" rail height
- Three stake pockets on each rail with predrilled holes for security bolts
- Polyester powder coat matches BEDROCK truck bed



Spare Tire Kit

- Mounts directly onto headache rack and bed
- Adjustable for different tire sizes
- Hardware included
- Polyester powder coat matches BEDROCK truck bed
- Available for driver or passenger side mount



Center Louver Insert for Headache Rack

- Louver angle matches headache rack for enhanced visibility
- Hardware included
- Polyester powder coat matches BEDROCK truck bed



Plug & Play Wiring

- Simply & quickly connect the truck's wiring to the BEDROCK truck bed
- Waterproof
- No requirement to cut existing wires



L-Bracket for Headache Rack

- Allows equipment to be mounted on the bed deck next to headache rack
- Provides space saving on the bed deck
- Mounts by replacing standard headache rack gusset



Fuel Fill Cover

- Covers unused fuel fill area
- *only available for the Granite and Diamond series

ACCESSORY OPTIONS

959 STATE HWY 95 N | SHINER, TX 77984 | 361.401.7420 | BEDROCKTRUCKBEDS.COM



HEADACHE RACK TEST

Sample Description:

The headache rack was installed on a bed frame and then bolted to the bed frame with 1/2 grade 8 bolts. The driver and passenger sides have a .250 steel gusset to attach the headache rack to the bed frame. Inside both 3" square tubes are .250 steel plates with 1/2-13 nut welded to the back side plate measuring 2.5" x 9." Four bolts on each side are used for securing the headache rack to the bed frame. Eighty pounds of air pressure was applied to the impact wrench to torque the bolt.

Test Procedures:

A hydraulic cylinder was used to apply force from the bed side of the headache rack. The test frame has four contact points to the headache rack. Two contact points are on the top tubing (3x6) -- one on the driver and one on the passenger side. Both contact points are located between the turn signal cut out and top tube corner plate. The second set of contact points are located on the 3" square tubing 22" from the top both on the driver and passenger sides. The cylinder that applies pressure to the frame makes contact at the center of the frame both vertically and horizontally.

Results:

Starting point on headache rack is 90 degree or 0 inches.

Reading in Degrees	Pressure	Deflection in Inches	Force in Pounds
88	83 lb.	1.375	1043 lb
87.5	120 lb.	1.625	1507 lb
86.5	250 lb.	2.00	3142 lb
85.5	500 lb.	3.00	6284 lb
85	500 lb.	3.50	6284 lb

Results after 6,284 pounds of force applied to the headache rack resulted in 3.50" of deflection from 0." The headache rack returned to within 1" from the original position. No bolts sheared or broke.