






GOLIGHT INC.

Revolutionary Lighting Solutions




PRODUCT CATALOG

PERFORMANCE AND INNOVATION

Powerful light sources, precision engineered reflectors and high performance optics are the most important characteristics of directional lighting. At Golight®, Inc. we are committed to continually developing and testing new illumination and night vision technologies that produce more powerful and useful light sources. Golight® offers designs for useability in countless applications:

- Powerful Spotlights for intense illumination
- Flood Lens technology for work area illumination
- Thermal Imaging for heat detection and enhanced vision at night
- Infrared Lens for covert night vision enhancement
- Clear Top-Housing for useful light in the completely vertical position
- Pedestal mounts for better lighting angles on fishing boats



GOLIGHT® DESIGN


Golight's patented product designs utilize a combination of halogen and HID bulbs, LED's, optical lens and reflector technology to generate extremely bright lights. The designs eliminate dark spots, maximize effective beam distance and provide the user an effective spectral pattern. Golight designs bring more lighting power to your fingertips, anywhere you go.

Combining the revolutionary Golight® five-sided parabolic reflector with a Philips axial filament bulb, Cr5 PentaBeam™ Technology captures and directs more useable light than other designs

SPOTLIGHT PERFORMANCE STANDARDS:

For the first time ever in the spotlight industry there is an official standard of measurement in effect for accurate comparisons of spotlight performance.

New standards for spotlight performance measurement are now in place and accredited by the American National Standards Institute (ANSI). New Peak Beam Intensity (candela), Maximum Beam Distance, and Battery Run Time (when applicable) measurements are now presented next to all Golight® models.



Definitively Golight

When you see the distinctive, multi-contoured shape and rugged look of our lights, you know it's a Golight. This original is an authentic design of Golight, Inc.




Intensity



Beam Distance

PERSONALIZED CUSTOMER SERVICE – GUARANTEED

Our personalized customer service means that you can contact us any time. Private consumers and corporate industry buyers alike will speak directly to one of our representatives. We do everything it takes to build an exceptional product, then we stand behind it with exceptional product warranties. That's something you can trust....Guaranteed.



POPULAR APPLICATIONS

Over the years, Golight has had the distinct honor to help people from all walks of life get things accomplished in the dark. Our lights have ridden shotgun on covert ops in the Middle East, guided open-water vessels back to harbor, helped carve roads out of rugged terrain and aided in search and rescue efforts among countless other things. Imagine what you can do with Golight lighting your way!

AUTOMOTIVE



FIRST RESPONSE



WORK TRUCK



MARINE



MILITARY




OUTDOOR/OFFROAD



WEB SUPPORT

Golight has a new website! Enter www.golight.com in your browser or use your favorite search engine to look us up. We have great new features including an interactive Golight animation, updated product videos, an all-new parts and accessory store and a ton of instructional videos. Take a look, your feedback is very much appreciated.



Golight®/RadioRay® Halogen



GOLIGHT & RADIORAY Remote Control Searchlights

- Exclusive CR5 Pentabeam Technology
- Wireless or Hardwired Remote Control Options
- Permanent or Portable Mounting Options
- 370° Rotation x 135° Tilt
- 225,000 Candela, Max Beam Distance 3,113 ft
- 5.5 amps at 13.8V
- 8° Beam Angle
- 65 watt H9 Bulb
- UV Ray and Saltwater Resistant
- 3 Year Limited Warranty

Permanent Mount Models



RADIORAY Halogen
2000 (White) 2051 (Black)

Package Includes:
Wireless Handheld Remote
Mounting Hardware and Rockguard



GOLIGHT Halogen
2020 (White) 2021 (Black)

Package Includes:
Hardwired Dash Mount Remote
20' Wiring Harness
Mounting Hardware and Rockguard



RADIORAY Halogen
2007 (White) 2057 (Black)

Package Includes:
Wireless Handheld Remote
Wireless Dash Mount Remote
Mounting Hardware and Rockguard

Portable Mount Models



RADIORAY Halogen
7901 (White) 7951 (Black)

Package Includes:
Wireless Handheld Remote
Magnetic Mount Shoe & Suction Cup
15' Power Cord with Cigarette Plug



RADIORAY Halogen
7900 (White)

Package Includes:
Wireless Handheld Remote
Permanent Mount Shoe & Suction Cup
15' Power Cord with Cigarette Plug



GOLIGHT Halogen
5149 (Charcoal)

Package Includes:
Handheld Wired Remote, Rockguard
Permanent Mount Shoe & Suction Cup
15' Power Cord with Cigarette Plug


Golight/RadioRay Halogen Accessories



Wireless Handheld Remote
30100



Wireless Dash Mount Remote
30200



Hardwired Dash Mount Remote
2020-D



Nylon Carrying Case
18000



Snap-On Flood Lens & Bezel
15320



Permanent Mounting Shoes*
15201 - Charcoal
15202 - White
15203 - Black



Magnetic Mounting Shoes*
16300 - Charcoal
16301 - White
16303 - Black



Rockguard Cover
15304 - White
15307 - Black
15309 - Charcoal



Security Dome**
17920



Golight/RadioRay LED Insert
15444

*Mounting Shoes for use with
Portable Mount Models Only
**Security Dome for use with
Permanent Mount Models Only



Jeep Mounting Bracket
16311 - Drivers Side
16312 - Passenger Side



Mag Base Adapter Kit
16308




Clear Top Housing
10200 - White
10251 - Black



IR Lens & Bezel
15007

Golight RadioRay Halogen Light Beam Dimensions




Illuminance (Lux) 360 90 25 6


Peak Beam Intensity: 225,000 Candela

Maximum Beam Distance: 949 m / 3,113 ft

Beam Angle: 8°



... I had 2 go lights on my vehicle in Iraq 2007-2008... We were on a convoy security mission at night and I spotted a pressure plate about a 100meters out with your light!! My driver couldn't see it but I grabbed the wheel and we just missed it!!!...After EOD was done turns out that plate hade over 5lbs of explosives that would have killed us all!! Thanks Kirby Frank US ARMY RETIRED!!



Golight®/RadioRay® LED



GOLIGHT & RADIORAY LED *Remote Control Searchlights*

- 10 High Flux LED's
- Wireless or Hardwired Remote Control Options
- Permanent or Portable Mounting Options
- 370° Rotation x 135° Tilt
- 410,000 Candela, Max Beam Distance 4,200 ft
- 2.8 amps at 13.8V
- 8° Beam Angle
- UV Ray and Saltwater Resistant
- 3 Year Limited Warranty

Permanent Mount Models



RADIORAY LED
20004 (White) 20514 (Black)

Package Includes:
Wireless Handheld Remote
Mounting Hardware



GOLIGHT LED
20204 (White) 20214 (Black)

Package Includes:
Hardwired Dash Mount Remote
20' Wiring Harness
Mounting Hardware



RADIORAY LED
20074 (White) 20574 (Black)

Package Includes:
Wireless Handheld Remote
Wireless Dash Mount Remote
Mounting Hardware

Portable Mount Models



RADIORAY LED
79014 (White) 79514 (Black)

Package Includes:
Wireless Handheld Remote
Magnetic Mount Shoe & Suction Cup
15' Power Cord with Cigarette Plug



RADIORAY LED
79004 (White)

Package Includes:
Wireless Handheld Remote
Permanent Mount Shoe & Suction Cup
15' Power Cord with Cigarette Plug



GOLIGHT LED
51494 (Charcoal)

Package Includes:
Handheld Wired Remote
Permanent Mount Shoe & Suction Cup
15' Power Cord with Cigarette Plug

Golight/RadioRay LED Accessories



Wireless Handheld Remote
30100



Wireless Dash Mount Remote
30200



Hardwired Dash Mount Remote
2020-D




Nylon Carrying Case
18000



Snap-On LED Flood Lens
15420



Permanent Mounting Shoes*
15201 - Charcoal
15202 - White
15203 - Black



Magnetic Mounting Shoes*
16300 - Charcoal
16301 - White
16303 - Black



Clear Top Housing
10200 - White
10251 - Black



Security Dome **
17920



LED Snap On Rockguard
15309 - White
15310 - Black

*Mounting Shoes for use with Portable Mount Models Only
**Security Dome for use with Permanent Mount Models Only




Jeep Mounting Bracket
16311 - Drivers Side
16312 - Passenger Side



Mag Base Adapter Kit
16308

Golight RadioRay LED Light Beam Dimensions



Illuminance (Lux) 656 164 41 10

Peak Beam Intensity: 410,000 Candela

Maximum Beam Distance: 1,280 m / 4,200 ft

Beam Angle: 8°



A bad storm came through and my crew got called out in the middle of the night for down lines. It was a great chance to put our Golight to work. Having light where and when you need it, really helped us get things back up and my guys home safe. Thanks Golight for a great product.

-Gary Klumpe, Journeyman Lineman



Stryker® Halogen



STRYKER HALOGEN *Remote Control Searchlights*

- Exclusive CR5 Pentabeam II Technology
- Wireless or Hardwired Remote Control Options
- Permanent or Portable Mounting Options
- 370° Rotation x 135° Tilt
- 200,000 Candela, Max Beam Distance 2,933 ft
- 5.5 amps at 13.8V
- 10° Beam Angle
- 65 watt 9011 Bulb
- UV Ray and Saltwater Resistant
- Weather Proof for Land and Sea Applications
- Stainless Steel Mounting Brackets for permanent mount units
- 5 Year Limited Warranty

Permanent Mount Models



STRYKER HALOGEN
3000 (White) 3051 (Black) 3006 (Chrome)

Package Includes:
Wireless Handheld Remote
Stainless Steel Mounting Bracket
Rockguard



STRYKER HALOGEN
3100 (White) 3151 (Black) 3106 (Chrome)

Package Includes:
Wireless Dash Mount Remote
Stainless Steel Mounting Bracket
Rockguard



STRYKER HALOGEN
3067 (White) 3049 (Black) 3066 (Chrome)

Package Includes:
Wireless Handheld Remote
Wireless Dash Mount Remote
Stainless Steel Mounting Bracket
Rockguard

Portable Mount Models



STRYKER HALOGEN
3020 (White) 3021 (Black) 3026 (Chrome)

Package Includes:
Hard Wired Joystick Dash Mount Remote
20' Wiring Harness, Rockguard
Stainless Steel Mounting Bracket



STRYKER HALOGEN
30002 (White) 30512 (Black) 30062 (Chrome)

Package Includes:
Wireless Handheld Remote
15' Power Cord with Cigarette Plug
Attached Magnetic Base and Rockguard

Stryker Halogen Accessories



Wireless Handheld Remote
30100



Wireless Dash Mount Remote
30200



Hardwired Joystick Dash Remote
3020-D



Nylon Carrying Case
18000



Stryker LED Insert
15433



Rockguard Cover
15305 - White
15306 - Black




Jeep Mounting Bracket
16311 - Drivers Side
16312 - Passenger Side





Mag Base Adapter Kit
16308


Stryker Halogen Light Beam Dimensions



Illuminance (Lux) 320 80 20 5
Peak Beam Intensity: 200,000 Candela
Maximum Beam Distance: 894 m / 2,933 ft
Beam Angle: 10°



If it wasn't for these Golights we have mounted on our boats, we could not fish or hunt the way we do on the rivers. All jokes aside, these lights are life savers when we are running our boats at night. Thank you for making our truly river worthy light!!!
-Mudbum Boys



Stryker® LED



STRYKER LED

Remote Control Searchlights

- 10 High Flux LED's
- Wireless or Hardwired Remote Control Options
- Permanent or Portable Mounting Options
- 370° Rotation x 135° Tilt
- 410,000 Candela, Max Beam Distance 4,200 ft
- 2.8 amps at 13.8V
- 8° Beam Angle
- UV Ray and Saltwater Resistant
- Weather Proof for Land and Sea Applications
- Stainless Steel Mounting Brackets for permanent mount units
- 5 Year Limited Warranty

Permanent Mount Models



STRYKER LED
30004 (White) 30514 (Black) 30064 (Chrome)

Package Includes:
Wireless Handheld Remote
Stainless Steel Mounting Bracket



STRYKER LED
30204 (White) 30214 (Black) 30264 (Chrome)

Package Includes:
Hard Wired Joystick Dash Mount Remote
Stainless Steel Mounting Bracket

Portable Mount Models



STRYKER LED
30005 (White) 30515 (Black) 30065 (Chrome)

Package Includes:
Wireless Handheld Remote
Attached Magnetic Base
15' Power Cord w/ Cig Plug

Stryker LED Accessories



Wireless Handheld Remote
30100



Wireless Dash Mount Remote
30200



Hardwired Joystick Dash Remote
3020-D



Nylon Carrying Case
18000



Snap On LED Flood Lens
15420



LED Snap On Rockguard
15309 - White
15310 - Black




Jeep Mounting Bracket
16311 - Drivers Side
16312 - Passenger Side



Mag Base Adapter Kit
16308

Stryker LED Light Beam Dimensions





Illuminance (Lux) 656 164 41 10

Peak Beam Intensity: 410,000 Candela

Maximum Beam Distance: 1,280 m / 4,200 ft

Beam Angle: 8°



The Golights mounted on my Jeep work great for off roading at night. Being able to move the lights remotely allows you to see what's coming on and off the trail and around the bend instead of just what's directly in front of you. If you need to get out and inspect a rock, rut or span more closely, you can take the remote with you and move the light where you need it. Highly recommended!



Stryker® HID



STRYKER HID

Remote Control Searchlights

- High Intensity Discharge Technology
- Wireless or Hardwired Remote Control Options
- Permanent or Portable Mounting Options
- 370° Rotation x 135° Tilt
- 550,000 Candela,
Maximum Beam Distance 4,865 ft
- 3.5 Continual Draw, 8 amp max for cold start at 13.8V
- 12° Beam Angle
- UV Ray and Saltwater Resistant
- Weather Proof for Land and Sea Applications
- Stainless Steel Mounting Plate for permanent mount units
- 5 Year Limited Warranty

Permanent Mount Models



STRYKER HID
30001 (White) 30511 (Black) 30061 (Chrome)

Package Includes:
Wireless Handheld Remote
Stainless Steel Mounting Bracket



STRYKER HID
30201 (White) 30211 (Black) 30261 (Chrome)

Package Includes:
Hardwired Joystick Dash Remote
20' Wire Harness
Stainless Steel Mounting Bracket

Portable Mount Models



STRYKER HID
30003 (White) 30513 (Black) 30063 (Chrome)

Package Includes:
Wireless Handheld Remote
Attached magnetic Base
15' Power Cord with Cigarette Plug

Stryker HID Accessories



Wireless Handheld Remote
30100



Wireless Dash Mount Remote
30200




Nylon Carrying Case
18000



Hardwired Joystick Dash Remote
3020-D

Stryker HID Light Beam Dimensions





Illuminance (Lux) 880 220 55 14

Peak Beam Intensity: 550,000 Candela

Maximum Beam Distance: 1,483 m / 4,865 ft

Beam Angle: 12°



Gobee® Halogen



GOBEE

Stanchion Mount Searchlights

- Wireless Remote Control
- 12" Stainless Steel Stanchion that fits in a 2 or 3 Prong Bow Socket
- Integral Bi-Color Navigation Lights
- 360° Rotation x 90° Tilt
- 80,000 Candela, Max Beam Distance 1,857 ft
- 5 amps at 13.8V (Minimum 7 amp fuse required)
- 14° Beam Angle
- 55 watt H3 Bulb
- UV Ray and Saltwater Resistant
- 1 Year Limited Warranty


Stanchion Mount



GOBEE HALOGEN
2151 (Black)

Package Includes:
Wireless Hand Held Remote
12" Stanchion w/ Nav Lights
Nylon Storage Bag

Gobee Halogen Light Beam Dimensions





Illuminance (Lux) 128 32 8 1.3

Peak Beam Intensity: 80,000 Candela

Maximum Beam Distance: 566 m / 1,857 ft

Beam Angle: 14°



I am an avid night fisherman and absolutely LOVE my Gobee Stanchion Golight. The convenience...The safety...traveling a lake at night can be very dangerous trying to drive while holding a handheld spotlight... I would highly recommend this remote spotlight to anyone who night fishes, it's the best investment you'll ever make!

-Scott Mize



GXL® LED - Performance Series



GXL PERFORMANCE Fixed Mount LED Xtreme Lighting

- Fixed Mount Option Only
- 9-32 Volt DC Input
- Shock Proof
- Quick Adjusting Mounting Cradle
- 50,000 hour LED Life Expectancy
- Spot or Flood Lighting Options
- 10 Year Limited Warranty
- Flood Models - 5 amps at 13.8V
- Spot Models - 6 amps at 13.8V

Fixed Mount Models



GXL PERFORMANCE LED
Spotlight 4411 (Black)

Package Includes:
Mounting Hardware
Rockguard



GXL PERFORMANCE LED
Floodlight 4421 (Black)

Package Includes:
Mounting Hardware
Rockguard



GXL PERFORMANCE LED
Marine Grade Floodlight 4422 (White)


Package Includes:
Stainless Steel Mounting Bracket & Hardware
Rockguard

Performance Accessories




Rockguard Cover
15344 - White
15345 - Black

GXL™ LED Light Beam Dimensions



Peak Beam Intensity: 110,000 Candela
Maximum Beam Distance: 683m/2240 ft.
Beam Angle: 10° Spot



Lumens: 6,000
Beam Angle: 35° Flood

GXL® LED - Work Light Series



Fixed Mount Models

Floodlight 4021 (pictured)
Spotlight 4024
Hybrid Spot/Flood 4023



Portable Models


Floodlight 40215
Spotlight 40245
Hybrid Spot/Flood 40235 (pictured)

GXL WORKLIGHT

Fixed or Portable Mounting Options


- 16 High Power LEDs
- 4500 Max Lumens
- 9-33V DC Power input
- Shock Proof up to 40G
- 4.2amp Draw at 13.8V
- Interchangeable Lens System
- Flood, Spot or Hybrid Options
- 5 Year Limited Warranty

Flood Pattern



Spot Pattern

55,000 cd 469m/1539ft Max Beam



GXL® LED - Off-Road Series



Model 4211

Package Includes: Mounting Hardware & 12" Wire Lead

GXL OFF-ROAD MODEL 4211

Fixed Mount Off-Road Lighting

- 7 High Output Cree LEDs
- P-Vex Lens Technology
- 12 Degree Beam Angle
- 130,000 Candella
- 6350 Color Temperature
- Active Cooling Technology
- On-Board Thermal Protection
- 9-36 volt Capacity
- Polarity and Voltage Protection
- Powder Coated Stainless Steel Mounting
- 30,000 hr. Rated Life
- 5 Year Limited Warranty



NEW - Model 42112

DUAL Off-Road Light Kit (Includes 2 lights & Wire Harness)

Beam Pattern 130,000 cd, Max Beam Distance 721m, Beam Angle 12°

